

Ringlock accessories weight $\leq 30\text{kg/m}^2$ Safety Factor ≥ 4 for secure construction

Our Product Introduction

for more products please visit us on bythaiscaffold.com

Basic Information

- Place of Origin: China
- Brand Name: Bythai
- Model Number: BT03



Product Specification

- Max Height: $\leq 30\text{m}$
- Vertical Load Capacity: $\geq 45\text{KN}$
- Components: Vertical, Horizontal, Diagonal, Brace, Base Plate, Ladder, Etc.
- Surface Treatment: Hot-dip Galvanized
- Joints: Double-locking
- Material: Q235 Steel
- Size: 48.3mm
- Safety Factor: ≥ 4

Product Description

Product Description:

The Ringlock System Scaffolding is a cutting-edge scaffolding system that offers a wide range of advantages. With its double-locking joints, its maximum height of up to 30m, its vertical adjustment of $\pm 3^\circ$, and its safety factor of at least 4, it provides superior stability and security. Its ringlock accessories and standards offer a robust and dependable structure, and its vertical load capacity of 45KN or more makes it perfect for a variety of applications. Additionally, the Ringlock Scaffolding System is easy to assemble, and its modular components allow for a high degree of flexibility. As such, this advanced scaffolding system is ideal for any project, regardless of its size or complexity.

Technical Parameters:

Parameter	Value
Size	48.3mm
Standard	EN12810 & EN12811
Weight	$\leq 30\text{kg/m}^2$
Vertical Load Capacity	$\geq 45\text{KN}$
Surface Treatment	Hot-dip Galvanized
Joints	Double-locking
Components	Vertical, Horizontal, Diagonal, Brace, Base Plate, Ladder, Etc.
Warranty	2 Years
Safety Factor	≥ 4
Max Height	$\leq 30\text{m}$
Ringlock Scaffolding System	Ringlock standard, Ringlock vertical, Ringlock horizontal, Ringlock diagonal, Ringlock brace, Ringlock base plate, Ringlock ladder

Applications:

Bythai BT03 Ringlock System Scaffolding

Bythai BT03 Ringlock System Scaffolding is a type of scaffolding that is mainly composed of vertical, horizontal, diagonal, brace, base plate, ladder and other components. This system is well-known for its double-locking joints, with a weight of $\leq 30\text{kg/m}^2$. It is made from hot-dip galvanized steel for superior rust-resistance and durability, and is covered by a 2-year warranty.

Bythai BT03 Ringlock System Scaffolding is suitable for many different construction projects, such as building high-rise buildings, bridges, factories, and other structures. It provides a sturdy, reliable and safe platform for workers to carry out their work. With its reliable double-locking joints, it ensures that each joint is firmly locked and there is no risk of collapse or shifting.

Bythai BT03 Ringlock System Scaffolding is an ideal solution for a wide range of construction projects, from small renovation projects to major construction projects. It is easy to assemble and disassemble, and its hot-dip galvanized steel ensures that it will be rust-resistant and durable for many years to come. With its reliable double-locking joints, it provides a safe and secure platform for workers to carry out their work.

Customization:

Ringlock System Scaffolding

This Ringlock System Scaffolding is manufactured by Bythai, with model number BT03. It is of Chinese origin and is equipped with double-locking joints. The horizontal adjustment is $\leq \pm 3^\circ$, and the size is 48.3mm. The maximum horizontal load capacity is $\geq 15\text{KN}$. This product is backed by a 2-year warranty.

Packing and Shipping:

Ringlock System Scaffolding is packaged and shipped with the utmost care to ensure safe delivery to our customers. All components are securely packed in cardboard boxes with cushioning materials to prevent any damage. The boxes are labeled with the product name, quantity, and weight. They are then securely sealed with reinforced tape to prevent any tampering during transport. The boxes are loaded onto pallets and secured with stretch wrap to protect them during transportation.

The pallets are then loaded onto trucks or containers and shipped to the customer's location. Upon arrival, the customer can unpack the boxes and check the contents for any damages or missing items. The customer is also responsible for verifying the quantity and weight of the products received.

FAQ:

Q1: What is the brand name of the Ringlock System Scaffolding?

A1: The brand name of the Ringlock System Scaffolding is Bythai.

Q2: What is the model number of the Ringlock System Scaffolding?

A2: The model number of the Ringlock System Scaffolding is BT03.

Q3: Where is the Ringlock System Scaffolding manufactured?

A3: The Ringlock System Scaffolding is manufactured in China.

Q4: What are the features of the Ringlock System Scaffolding?

A4: The Ringlock System Scaffolding is designed with an easy to assemble and disassemble structure, anti-corrosion and rust prevention, and is suitable for any kind of terrain.

Q5: What is the maximum load capacity of the Ringlock System Scaffolding?

A5: The maximum load capacity of the Ringlock System Scaffolding is 1.5 tons.



Bythai Scaffolding Co.,Ltd



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China