

Excellent Corrosion Resistance Galvanised Scaffold Tube 2.5D Bending Radius 6.4kg/m

Our Product Introduction

for more products please visit us on bythaiscaffold.com

Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS
- Model Number: BT01
- Price: \$5-\$18
- Packaging Details: In bundles
- Delivery Time: 7-15 days
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



Product Specification

- Application: Scaffolding
- Thickness: 3.2mm
- Name: Galvanised Scaffold Tube
- Corrosion Resistance: Excellent
- Bending Radius: >2.5D
- Surface Treatment: Galvanised
- Weight: 6.4kg/m
- Length: 6m
- Highlight: **Galvanized Steel Scaffold Tube,
Galvanised Scaffold Tube 6.4kg/m,
Galvanized Steel Pipe Scaffold Tube**

Product Description

Product Description:

Galvanised Steel Scaffolding Tube is an excellent choice for large and small construction projects. It is made of galvanised steel, which provides outstanding corrosion resistance. It is designed according to the EN39 standard, and can be used for scaffolding projects of up to 6m in length. It has a bending radius of more than 2.5D, and a yield strength of 245N/mm², making it the ideal choice for scaffolding projects. With its corrosion resistance, strength, and ease of use, Galvanised Steel Scaffolding Tube is the perfect option for builders of all kinds.

Features:

Product Name: **Galvanised Scaffold Tube**

Corrosion Resistance: **Excellent**

Thickness: **3.2mm**

Diameter: **48.3mm**

Standard: **EN39**

Surface Treatment: **Galvanised**

Technical Parameters:

Product Property	Value
Name	Galvanised Scaffold Tube
Material	Galvanised Steel
Surface Treatment	Galvanised
Length	6m
Diameter	48.3mm
Thickness	3.2mm
Bending Radius	>2.5D
Elongation	>20%
Standard	EN39
Yield Strength	245N/mm ²

Applications:

Galvanised Scaffold Tube – Bythai Scaffolding (BT01)

Bythai Scaffolding's Galvanised Scaffold Tube is the perfect choice for any construction or building project. Made from galvanised steel, the tube is strong and durable, and the galvanised surface treatment ensures a long-lasting finish. With a weight of 6.4kg/m and an elongation of >20%, it is easy to transport and install. The tube comes in 6m lengths, and is available for a price of \$5-\$18 per piece, depending on the quantity ordered. Packaging is done in bundles, and delivery time is 7-15 days. Payment terms are TT/LC, and supply ability is 1000tons per month.

Bythai Scaffolding's Galvanised Scaffold Tube is certified by SGS, and is manufactured in China. The tube is perfect for any application that requires a robust and durable solution, and its galvanised finish allows it to withstand the elements and environmental conditions. With its high strength-to-weight ratio, it is the perfect choice for any scaffolding application.

Support and Services:

Galvanised Scaffold Tube technical support and service includes:

Regular inspections to ensure product quality

Technical advice on product selection and installation

Technical support for problem-solving

Prompt delivery for urgent orders

Installation and maintenance service

Packing and Shipping:

Galvanised Scaffold Tube should be packaged and shipped in accordance with the following standards:

Scaffold tubes should be wrapped in industrial-grade shrink wrap.

Each tube should be securely fastened to a pallet.

The pallet should be appropriately secured to an enclosed shipping container.
The shipping container should be clearly labeled with the contents, origin, destination, and other necessary information.



Bythai Scaffolding Co.,Ltd



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China