

3.2mm Thickness Galvanised Scaffolding Steel Tube for Heavy-Duty Construction

Our Product Introduction

for more products please visit us on bythaiscaffold.com


Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS
- Model Number: BT01
- Price: \$5-\$18
- Packaging Details: In bundles
- Delivery Time: 7-15 days
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



Product Specification

- Weight: 6.4kg/m
- Thickness: 3.2mm
- Yield Strength: 245N/mm²
- Tensile Strength: 420N/mm²
- Material: Galvanised Steel
- Surface Treatment: Galvanised
- Diameter: 48.3mm
- Standard: EN39



Product Description

Product Description:

Galvanised Scaffold Tube

Product Overview

Galvanised Scaffold Tube is a type of seamless pipe, made of galvanised steel and primarily used for scaffolding applications. It is known for its high strength and corrosion resistance, making it a popular choice among construction professionals.

Material: Galvanised Steel

Galvanised Scaffold Tube is made of galvanised steel, which is a type of steel that has been coated with a layer of zinc to protect it from rust and corrosion. This material is known for its durability and strength, making it suitable for use in construction and scaffolding projects.

Application: Scaffolding

The main application of Galvanised Scaffold Tube is in the construction industry, specifically for scaffolding purposes. It is used to create temporary structures that support workers and materials during building, maintenance, and repair projects. It is also commonly used in industries such as shipbuilding, oil and gas, and mining.

Yield Strength: 245N/mm2

The yield strength of Galvanised Scaffold Tube is 245N/mm2, which means it can withstand a significant amount of pressure before it starts to deform permanently. This high yield strength makes it a reliable and stable component in scaffolding structures, ensuring the safety of workers and materials.

Thickness: 3.2mm

The thickness of Galvanised Scaffold Tube is 3.2mm, which is considered the standard thickness for scaffolding tubes. This thickness provides the tube with enough strength and stability to support heavy loads, while also being lightweight enough for easy handling and transportation.

Tensile Strength: 420N/mm2

The tensile strength of Galvanised Scaffold Tube is 420N/mm2, which means it can withstand a considerable amount of tension before breaking. This high tensile strength is essential in scaffolding structures, as it ensures that the tube can support the weight of workers and materials without breaking or bending.

Key Features

High strength and durability

Corrosion resistance

Standard thickness for scaffolding

Easy to handle and transport

Compatible with tube and coupler scaffolding systems

Conclusion

Galvanised Scaffold Tube is a reliable and essential component in the construction industry, offering high strength and corrosion resistance for scaffolding applications. With its durable and lightweight properties, it is the preferred choice for many construction professionals, ensuring the safety and stability of scaffolding structures.

Technical Parameters:

Attribute	Value
Name	Galvanised Scaffold Tube
Material	Galvanised Steel
Thickness	3.2mm
Diameter	48.3mm
Weight	6.4kg/m
Yield Strength	245N/mm2
Tensile Strength	420N/mm2
Surface Treatment	Galvanised
Application	Scaffolding
Standard	EN39
Key Words	hot dip galvanized scaffolding steel tube, scaffolding steel tube, stainless steel pipe

Applications:

Galvanised Scaffold Tube - Bythai Scaffolding

Brand Name: Bythai Scaffolding

Model Number: BT01

Place of Origin: China

Certification: SGS

Price: \$5-\$18

Packaging Details: In bundles
Delivery Time: 7-15 days
Payment Terms: TT/LC
Supply Ability: 1000tons per month
Diameter: 48.3mm
Standard: EN39
Yield Strength: 245N/mm2
Material: Galvanised Steel
Surface Treatment: Galvanised
Product Description

The Galvanised Scaffold Tube by Bythai Scaffolding is a high-quality, durable and cost-effective solution for all your scaffolding needs. Made from galvanised steel, this tube is designed to withstand heavy loads and harsh weather conditions, making it perfect for construction, renovation and maintenance projects.

Application

This galvanised scaffold tube can be used in a wide variety of applications, including:

Steel and pipe scaffolding

Scaffold aluminum tube

BS1139 scaffolding tube

Scaffold aluminum tube

Steel construction scaffold tube

Galvanized steel scaffold tube

With its strong and sturdy structure, this tube is perfect for supporting workers and materials at various heights during construction, maintenance and repair work. It can also be used as a temporary platform for events and performances.

Features

Made from high-quality galvanised steel for durability and strength

Complies with EN39 standard for safety and reliability

Yield strength of 245N/mm2 ensures stability and load-bearing capacity

Galvanised surface treatment provides protection against rust and corrosion

Available in a diameter of 48.3mm, suitable for a variety of scaffolding systems

Can be easily assembled and dismantled for convenience and efficiency

Packaged in bundles for easy transportation and storage

Quick delivery within 7-15 days to meet project deadlines

Flexible payment options of TT or LC

With a supply ability of 1000 tons per month, we can meet the demands of large-scale projects

Why Choose Bythai Scaffolding?

As a leading manufacturer and supplier of scaffolding products, Bythai Scaffolding is committed to providing high-quality products at competitive prices.

Our galvanised scaffold tube is made from premium materials and undergoes strict quality control to ensure durability and safety.

We have a professional team to provide technical support and excellent customer service.

With years of experience in the industry, we have built a strong reputation for our reliable products and services.

Get Your Galvanised Scaffold Tube Today

Contact us now to get your high-quality Galvanised Scaffold Tube from Bythai Scaffolding. Our team is ready to assist you with all your scaffolding needs and provide you with the best solution for your project at a competitive price.

Customization:

Galvanised Scaffold Tube - Customized Service

Brand Name: Bythai Scaffolding

Model Number: BT01

Place of Origin: China

Certification: SGS

Price: \$5-\$18

Packaging Details: In bundles

Delivery Time: 7-15 days

Payment Terms: TT/LC

Supply Ability: 1000tons per month

Standard: EN39

Application: Scaffolding

Thickness: 3.2mm

Weight: 6.4kg/m

Diameter: 48.3mm

Looking for high-quality scaffolding tubes at an affordable price? Bythai Scaffolding offers a wide range of galvanised scaffold tubes that are perfect for your construction needs.

Our scaffolding tubes are made of strong and durable steel, ensuring stability and safety on your construction site. The galvanized coating not only adds to its strength but also protects it from corrosion, making it suitable for both indoor and outdoor use.

At Bythai Scaffolding, we understand that every construction project is unique and may require specific measurements and specifications. That's why we offer customized services for our galvanized scaffold tubes. You can choose the thickness, weight, and diameter that best suits your project requirements.

Our galvanized scaffold tubes are compliant with the EN39 standard, ensuring the highest quality and safety standards. They are also suitable for various scaffolding applications, making them a versatile choice for your construction needs.

With a monthly supply ability of 1000 tons, we can cater to both small and large-scale construction projects. Our efficient delivery system

ensures that your orders are delivered within 7-15 days, and we offer flexible payment terms such as TT/LC for your convenience. Don't settle for subpar scaffolding tubes, choose Bythai Scaffolding for top-notch quality, and affordable prices. Contact us now for a quote and let us help you build your construction project with ease.

Packing and Shipping:

Packaging and Shipping of Galvanised Scaffold Tube

Packaging:

The Galvanised Scaffold Tube will be carefully packaged to ensure safe transport and delivery. The packaging will consist of the following:

Each tube will be individually wrapped in protective material to prevent scratches and damage during transit.

All tubes will be packed into sturdy cardboard boxes.

The boxes will be sealed with strong tape to ensure they stay securely closed.

For larger orders, the tubes will be packed onto pallets for easier handling and transportation.

Shipping:

We offer various shipping options to suit your needs and budget. Our experienced logistics team will carefully plan and coordinate the transportation of your Galvanised Scaffold Tube to ensure timely and safe delivery.

Some of our shipping options include:

Standard shipping: This is the most cost-effective option for smaller orders. Delivery times may vary depending on your location.

Express shipping: For urgent orders, we offer express shipping services to ensure your Galvanised Scaffold Tube arrives as quickly as possible.

Air freight: If you need your order delivered overseas, we can arrange air freight options to ensure your Galvanised Scaffold Tube reaches you in a timely manner.

Sea freight: For larger orders, we offer sea freight options for cost-effective shipping over longer distances.

Our team will provide you with tracking information so you can monitor the progress of your shipment and ensure a smooth delivery process.

For any further inquiries or special packaging and shipping requests, please don't hesitate to contact us. We are dedicated to providing the best service for our customers and will do our utmost to accommodate your needs.

FAQ:

Q: What is the brand name of this product?

A: The brand name of this product is Bythai Scaffolding.

Q: What is the model number of this product?

A: The model number of this product is BT01.

Q: Where is this product manufactured?

A: This product is manufactured in China.

Q: Is this product certified?

A: Yes, this product is certified by SGS.

Q: What is the price range for this product?

A: The price for this product ranges from \$5 to \$18.

Q: How is this product packaged?

A: This product is packaged in bundles.

Q: How long is the delivery time for this product?

A: The delivery time for this product is 7-15 days.

Q: What are the payment terms for this product?

A: The payment terms for this product are TT/LC.

Q: What is the supply ability for this product?

A: The supply ability for this product is 1000tons per month.



Bythai Scaffolding Co.,Ltd



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China