

420N/Mm2 Tensile Strength Galvanised Scaffold Tube For Scaffolding With EN39 Standard

Our Product Introduction

for more products please visit us on bythaiscaffold.com

Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS
- Model Number: BT01
- Price: \$5-\$18
- Packaging Details: In bundles
- Delivery Time: 7-15 days
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



Product Specification

- Name: Galvanised Scaffold Tube
- Standard: EN39
- Weight: 6.4kg/m
- Tensile Strength: 420N/mm2
- Material: Galvanised Steel
- Diameter: 48.3mm
- Surface Treatment: Galvanised
- Yield Strength: 245N/mm2
- Highlight: **EN39 Standard Galvanised Scaffolding Tube, 420N/Mm2 Galvanised Scaffolding Tube**



420N/Mm2 Tensile Strength Galvanised Scaffold Tube For Scaffolding With EN39 Standard

Product Description:

Galvanised Scaffold Tube

The Galvanised Scaffold Tube is a high-quality scaffolding steel tube that is widely used in the construction industry. It is a type of steel tube that has been galvanised to make it more durable and resistant to corrosion. This product is designed to meet the demands of the most demanding construction projects, offering strength, reliability and versatility.

Application

The Galvanised Scaffold Tube is primarily used in scaffolding, providing a safe, sturdy and stable structure for workers to perform construction and maintenance tasks at height. It is also used in a variety of other construction applications, such as formwork, support beams, and temporary structures.

Name

The Galvanised Scaffold Tube is also known as a galvanised steel tube or a galvanised scaffold tube 48.3mm, referring to its diameter of 48.3mm. It is commonly referred to as "48.3 tube" in the construction industry.

Diameter

The Galvanised Scaffold Tube has a diameter of 48.3mm, making it suitable for use in a wide range of construction projects. This standard diameter allows for easy connection with other scaffolding components, ensuring a strong and stable structure.

Yield Strength

The Galvanised Scaffold Tube has a high yield strength of 245N/mm2, making it capable of withstanding heavy loads and providing a safe working platform for construction workers. It is a high-strength steel tube that is able to withstand the rigors of the construction site.

Surface Treatment

The Galvanised Scaffold Tube has been treated with a galvanised coating, which involves immersing the steel tube in molten zinc. This coating provides a protective barrier against corrosion, extending the lifespan of the tube and ensuring it remains in good condition even in harsh environments.

Features and Benefits

High-strength: The Galvanised Scaffold Tube has a high yield strength, providing stability and safety for workers.


Durable: The galvanised coating makes this steel tube highly resistant to corrosion, ensuring its longevity.

Versatile: The standard diameter of 48.3mm and its compatibility with various scaffolding components make it a versatile product for different construction applications.

Easy to assemble: The Galvanised Scaffold Tube is designed for easy connection with other components, making assembly quick and efficient.

Cost-effective: With its durability and longevity, the Galvanised Scaffold Tube is a cost-effective option for construction projects.

In conclusion, the Galvanised Scaffold Tube is an essential product in the construction industry, providing a safe and reliable structure for workers and offering numerous benefits in terms of strength, durability, and versatility. Its galvanised surface treatment ensures long-lasting performance, making it a smart choice for any construction project.



Applications:

Galvanised Scaffold Tube - Bythai Scaffolding

Brand Name: Bythai Scaffolding

Model Number: BT01

Place of Origin: China

Certification: SGS
Price: \$5-\$18
Packaging Details: In bundles
Delivery Time: 7-15 days
Payment Terms: TT/LC
Supply Ability: 1000tons per month
Weight: 6.4kg/m
Standard: EN39
Application: Scaffolding
Diameter: 48.3mm
Surface Treatment: Galvanised

The Galvanised Scaffold Tube, produced by Bythai Scaffolding, is a hot dip galvanized scaffolding steel tube that is widely used in the construction industry. With its durable and high strength properties, it has become the go-to choice for scaffolding systems in building maintenance and repair work.

The galvanised scaffold tubes are designed to provide a strong and corrosion-resistant support structure for construction workers. They are easy to assemble and can be used in various applications, making them a versatile and cost-effective solution for any construction project.

The galvanised scaffold tubes are an essential component in constructing scaffolding frames, planks, and other accessories. They come in a standard diameter of 48.3mm and weigh 6.4kg/m, making them lightweight and easy to handle on construction sites.

By using galvanised scaffold tubes, construction sites, industrial sites, residential areas, and commercial areas can be transformed into safe and reliable work environments. These tubes are specially designed to withstand heavy loads and provide a stable platform for construction workers to carry out their tasks with ease and efficiency.

With the ability to supply 1000tons of galvanised scaffold tubes per month, Bythai Scaffolding ensures a steady and timely delivery for all its customers. The tubes are packed in bundles and can be delivered within 7-15 days, depending on the quantity ordered.

In addition to its use in the construction industry, galvanised scaffold tubes can also be used for temporary structures, such as event stages, outdoor displays, and even for residential and commercial renovations. Their versatility and durability make them a popular choice for various projects.

Overall, the Galvanised Scaffold Tube by Bythai Scaffolding is a crucial component in the construction industry. Its strong, corrosion-resistant, and easy to assemble properties make it a reliable and cost-effective solution for scaffolding needs. So, whether it's a large-scale construction project or a small renovation job, the galvanised scaffold tube is the perfect choice for any scaffolding system.

Customization:

Bythai Scaffolding
Galvanised Scaffold Tube Customisation Service
Brand Name: Bythai Scaffolding
Model Number: BT01
Place of Origin: China
Certification: SGS
Price: \$5-\$18
Packaging Details: In bundles
Delivery Time: 7-15 days
Payment Terms: TT/LC
Supply Ability: 1000tons per month
Surface Treatment: Galvanised
Tensile Strength: 420N/mm2
Weight: 6.4kg/m
Standard: EN39
Material: Galvanised Steel
Customisation Options:
Scaffolding tubes galvanized
Pipe scaffold tube
Tube and coupler scaffolding
Scaffold tube size
Galvanized scaffolding tube price

Packing and Shipping:

Packaging and Shipping for Galvanised Scaffold Tube

Our Galvanised Scaffold Tube is carefully packaged to ensure safe delivery to our customers. The packaging process includes:

Each tube is first wrapped in protective plastic to prevent scratches and damage during transport.

Multiple tubes are then bundled together and secured with steel bands to prevent them from shifting during transit.

The bundled tubes are then placed in a sturdy corrugated cardboard box for additional protection.

The box is labeled with the product name, size, and quantity for easy identification.

For larger orders, the tubes are palletized and shrink-wrapped for secure transportation.

Our Galvanised Scaffold Tube can be shipped globally via sea, air, or land transportation. We work with reliable shipping companies to ensure timely and efficient delivery of our products.

For international shipments, all necessary export documents and customs clearance will be handled by our team to ensure a smooth process for our customers.

At the request of our customers, we can also arrange for express shipping for urgent orders.

Upon arrival at the destination, our customers can expect to receive their Galvanised Scaffold Tube in excellent condition, ready for immediate use.



Bythai Scaffolding Co.,Ltd



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China